





- finance.js

## 2.2.2

beforeEach

```
router.beforeEach(async (to, from, next) => {
  if (whitePath.includes(to.path)) {
    // 
    next();
  } else {
    if (store.state.routerStore.router.length === 0) {
      // 
      await axios.get('/api/admin/api/v1/menus/route').then(res => {
        store.dispatch("routerStore/setRouter", res.data.data);
        addRoute(router, res.data.data);
      });
    }
    next();
  }
});
```

## 2.2.3

addRoute

```
function addRoute(router, data) {
  data.forEach(v => {
    let item = {
      path: v.path,
      name: v.name,
      component: modules[`../views/${v.component}.vue`],
      meta: v.meta || { keepAlive: true }
    };
    // 
    if (['/sys/notepad', '/fin/voucher/create'].includes(item.path)) {
      item.meta.keepAlive = false;
    }
    router.addRoute('index', item);
    // 
    if (v.children) {
```

```
    addRoute(router, v.children);
  }
});
}
```

## 2.3 Layout ??

Layout

Element Plus  `el-container`

### 2.3.1 ???????

```
<el-container>
  <el-aside>           <!-- 侧边栏 -->
    <AsideMenu />
  </el-aside>
  <el-container>
    <el-header>       <!-- 顶部 -->
      <HeaderTab />
      <HeaderAvatar />
    </el-header>
    <el-main>         <!-- 主体 -->
      <router-view>
        <!-- 路由 -->
      </router-view>
    </el-main>
  </el-container>
</el-container>
```

### 2.3.2 ???????

- **AsideMenu**
- **HeaderTab**
- **HeaderAvatar**

### 2.3.3 ???????

Vue  `keep-alive`

```
<keep-alive ref="keepAlive" :exclude="excludes">
  <component :is="wrap($route.query.title, Component)" v-if="$route.meta.keepAlive"
  :key="$route.query.title" />
</keep-alive>
```

```
<component :is="wrap($route.query.title, Component)" v-if="!$route.meta.keepAlive"
:key="$route.query.title" />
```

■■■■■    □

- □□ meta.keepAlive ■■■■■■■■
- □□ excludes ■■■■■■■■■■■■
- □□ clearCache ■■■■■■■■

## 2.4 ?????

□□ Vuex 4 ■■■■■■■■■■■■■■■■■■

### 2.4.1 Store ?????

- routerStore ■■■■■■■■
- permissionStore ■■■■■■■■
- jessionStore ■■■■■■■■
- dateStore ■■■■■■■■
- finance ■■■■■■■■
- dict ■■■■■■■■

### 2.4.2 ???????

routerStore □

- ■■■■■■■■
- ■■■■■■■■■■

permissionStore □

- ■■■■■■■■
- ■■■■■■■■

## 2.5 ?????

■■■■■■■■■■■■■■■■■■■

v-hasPerm □ v-hasPermi ■■■■■■■■

### 2.5.1 ?????

```
// v-hasPerm ■■■■■■■■■■■■■■■■
export const hasPerm = {
  install: (app) => {
    app.directive('hasPerm', {
```



GlobalTable 组件

- 基本用法
- 表格列
- 表格行
- 表格操作
- 表格筛选
- 表格排序
- 表格导出

GlobalTable 组件

```
<GlobalTable
  :table-data="tableData"
  :loading="loading"
  @row-click="handleRowClick"
  @selection-change="handleSelectionChange"
>
  <el-table-column prop="name" label="名称" />
  <el-table-column prop="status" label="状态" />
</GlobalTable>
```

### 3.1.2 Pagination ??

GlobalTable 组件

### 3.1.3 SvgIcon ??

SVG 图标

### 3.1.4 DictTag ??

字典标签

## 3.2 ????????

GlobalTable 组件

Vue 组件

- **parseTime** 解析时间
- **resetForm** 重置表单
- **addDateRange** 添加日期范围
- **handleTree** 处理树形数据
- **selectDictLabel** 选择字典标签
- **download** 下载文件



```
component: () => import("@/views/dashboard/index.vue")
```

## 5.3 ?????

☐ SVG ☐☐☐ PNG/JPG ☐☐☐☐☐☐☐☐

## 5.4 ?????

☐ Vite ☐☐☐☐☐☐☐☐☐☐☐☐

## 6. ?????

### 6.1 ?????

```
src/
├─ api/          # API☐☐
├─ assets/       # ☐☐☐☐
├─ components/  # ☐☐☐☐
├─ directive/   # ☐☐☐☐☐
├─ filters/     # ☐☐☐
├─ layout/      # ☐☐☐☐
├─ router/      # ☐☐☐☐
├─ store/       # ☐☐☐☐
├─ styles/      # ☐☐☐☐
├─ utils/       # ☐☐☐☐
├─ views/       # ☐☐☐☐
├─ App.vue      # ☐☐☐
└─ main.js      # ☐☐☐☐
```

### 6.2 ?????

- ☐☐☐ ☐ PascalCase☐☐ `GlobalTable`
- ☐☐☐ ☐ kebab-case☐☐ `global-table.vue`
- ☐☐☐ ☐ camelCase
- ☐☐☐ ☐ UPPER\_SNAKE\_CASE

### 6.3 ?????



---

☐☐ #1

☐ Admin ☐☐ 2026-01-08 22:17:52 CST

☐ Admin ☐☐ 2026-01-08 22:18:15 CST