

????db_amazon???

???????

???? db_amazon
????
????
????

???????

1. ???? - ????????
2. ???? - SKU ASIN??????
3. ???? - ????????
4. ???? - FBA/FBM????
5. ???? - ????????
6. ???? - ????????
7. ???? - ????????

???????????

1. ??????

t_amazon_auth - ????????

sql

```
??id  
????  
????  
- sellerid: ??ID  
- shop_id: ???ID  
- region: ?????  
- MWSAuthToken: ?????  
- disable: ???  
- refresh_token: 0Auth??
```

t_amazon_group - ??????

sql

```
sellerid
sellerid
sellerid
- name: seller
- shopid: sellerID
- profitcfid: sellerid
- isfinance: sellerid
```

t_amazonseller_market - ????????

sql

```
sellerid, marketplace_id
sellerid
sellerid
- sellerid: sellerID
- marketplace_id: sellerID
- country: seller
- amazonauthid: sellerID
```

2. ????????

t_product_info - ????????

sql

```
productid
productid
productid
- asin: productid
- sku: productSKU
- marketplaceid: productID
- name: product
- price: product
- parentAsin: productASINproductid
- isparent: productid
- invalid: product
- amazonAuthId: productID
```

t_product_in_opt - ????????

sql

```
productid (product_id)
productid
productid
- msku: productERPproductSKU
- owner: productid
- status: productid 1 2...
- presales: productid
- profitid: productid
- disable: productid
```

- remark: 0000

t_amz_product_refresh - ????????

sql

```
000pid
0000000000000000
000000
- detail_refresh_time: 000000
- price_refresh_time: 000000
- catalog_refresh_time: 000000
- notfound: 000000
```

t_amz_product_active - ????????

sql

```
000amazonAuthId, marketplaceid, sku
0000000000000000
000000
- asin: ASIN
- openDate: 0000
- price: 0000
```

3. ????????

t_amz_order_main - ?????

sql

```
000amazon_order_id, amazonAuthId
000000000000
000000
- purchase_date: 0000
- order_status: 0000
- fulfillment_channel: 000000FBA/FBM
- sales_channel: 0000
- order_total: 0000
- hasItem: 00000000
- marketplaceId: 00ID
```

t_amz_order_item - ????????

sql

```
000amazon_order_id, orderItemId
000000000000
000000
- sku: 00SKU
- title: 0000
- QuantityOrdered: 0000
```

- QuantityShipped: 0000
- item_price: 0000
- item_tax: 0000
- amazonAuthId: 00ID
- marketplaceId: 00ID

t_orders_report - ??????

sql

```

000amazonAuthId, purchase_date, id
000000000000000000000000
000000
- order_status: 0000
- fulfillment_channel: 0000
- sales_channel: 0000
- quantity: 00
- item_price: 00
- item_tax: 00
- marketplaceId: 00ID

```

t_orders_summary - ??????

sql

```

000purchase_date, id
0000SKU00000000
000000
- amazonAuthId: 00ID
- marketplaceid: 00ID
- asin: ASIN
- sku: SKU
- quantity: 000
- ordersum: 0000
- orderprice: 0000

```

4. ??????????

t_inventory_report - ?????

sql

```

000id
000000000000
000000
- sku: SKU
- byday: 0000
- marketplaceid: 00ID
- afn_fulfillable_quantity: FBA00000
- afn_unsellable_quantity: FBA00000
- afn_reserved_quantity: FBA00000
- mfn_fulfillable_quantity: FBM00000

```

```
- amazonAuthId: ID
```

t_amz_inventory_health - ??????

sql

```
amazonAuthId, marketplaceid, sku
XXXXXXXXXXXX
XXXXXX
- sales_rank: XXXX
- inv_age_0to90days: 0-90XXXX
- inv_age_91to180days: 91-180XXXX
- weeks_of_cover_t30: 30XXXXXXXX
- total_quantity: XXXXX
- sellable_quantity: XXXXX
- unsellable_quantity: XXXXX
```

t_inventory_report_his - ??????

sql

```
byday, id
XXXXXXXXXXXX
XXXXXXt_inventory_report
```

5. ????????

t_amz_settlement_report - ?????

sql

```
amazonAuthId, posted_date, id
XXXXXXXXXXXX
XXXXXX
- settlement_id: ID
- transaction_type: XXXX
- order_id: ID
- marketplace_name: XXXX
- amount_type: XXXX
- amount_description: XXXX
- amount: XX
- currency: XX
- sku: SKU
```

t_amz_settlement_summary_sku - SKU????

sql

```
amazonAuthId, posted_date, id
XXXXSKUXXXXXX
XXXXXX
- sku: SKU
```

- marketplace_name: 0000
- posted_date: 0000
- order_amount: 000
- sales: 00
- principal: 000
- commission: 0000
- fbafee: FBA00
- refund: 0000
- tax: 00

t_amz_settlement_summary_sku_month - SKU????

sql

```

000posted_date, id
000SKU000000
000000
- amazonAuthId: 00ID
- sku: 00SKU
- msku: 00SKU
- groupid: 00ID
- posted_date: 00000000
- principal: 000
- profit: 00
- profit_local_shipmentfee: 0000
- profit_vat: VAT000

```

t_amz_fin_account - ??????

sql

```

000groupid, amazonAuthid
0000000000
000000
- amazonAuthid: 00ID
- groupid: 00ID
- currency: 00
- financial_event_group_start: 0000000000
- financial_event_group_end: 0000000000
- processing_status: 0000
- original_total: 00000

```

6. ?????????

t_erp_ship_inboundplan - ??????

sql

```

000id
000FBA000000
000000
- name: 0000

```

- number: 0000
- amazongroupid: 0000ID
- marketplaceid: 00ID
- warehouseid: 00ID
- auditstatus: 0000
- createtime: 0000
- creator: 000

t_erp_ship_inboundshipment - ??????

sql

```
000ShipmentId
000FBA000000
00000
- ShipmentId: 00ID
- DestinationFulfillmentCenterId: 00FC
- inboundplanid: 00ID
- ShipmentStatus: 0000
- status: 0000
- TotalUnits: 0000
- carrier: 000
- boxnum: 00
- shipped_date: 0000
```

t_erp_ship_inbounditem - ????????

sql

```
000id
00000000000
00000
- ShipmentId: 00ID
- SellerSKU: 00SKU
- QuantityShipped: 0000
- QuantityReceived: 0000
- materialid: 00ID
- msku: 00SKU
- unitcost: 0000
- totalcost: 000
```

t_erp_ship_v2_inboundplan - V2???????

sql

```
000id
00000000000
00000
- inbound_pland_id: 00000ID
- name: 0000
- number: 0000
- groupid: 00ID
- amazonauthid: 00ID
```

- marketplaceid: 00ID
- auditstatus: 000001000 2000 3000...0
- shipping_date: 000000
- transtype: 0000

7. ????????

t_orders_summary - ????????

sql

```

000purchase_date, id
00000SKU0000
00000
- amazonAuthId: 00ID
- marketplaceid: 00ID
- purchase_date: 00
- asin: ASIN
- sku: SKU
- quantity: 00
- ordersum: 000
- orderprice: 0000

```

t_orders_summary_month - ????????

sql

```

000purchase_date, id
00000SKU0000
000000t_orders_summary

```

t_amz_product_sales_plan - ????????

sql

```

000id
0000000000000000
00000
- sku: 00SKU
- msku: 00SKU
- shopid: 00ID
- marketplaceid: 00ID
- groupid: 00ID
- amazonauthid: 00ID
- shipday: 0000
- avgsales: 0000
- needship: 00000
- needpurchase: 00000

```

t_profitcfg - ????????

sql

```
shop_id
shop_id
shop_id
- shop_id: shop_id
- isSystem: isSystem
- name: name
- sales_channel: sales_channel
- sellerPlan: sellerPlan
- shipmentStyle: shipmentStyle
- isDefault: isDefault
```

t_profitcfgcountry - ????????

sql

```
profitid
profitid
profitid
- profitid: profitid
- country: country
- taxRate: taxRate
- lostRate: lostRate
- sellerRate: sellerRate
- vat_rate: vat_rate
- corporate_InRate: corporate_InRate
```

8. ??????

t_report_requestrecord - ????????

sql

```
sellerid
sellerid
sellerid
- sellerid: sellerid
- marketplaceId: marketplaceId
- reportType: reportType
- reportId: reportId
- reportRequestId: reportRequestId
- startDate: startDate
- endDate: endDate
- report_processing_status: report_processing_status
- isrun: isrun
```

t_fba_storage_fee_report - FBA?????

sql

```
amazonauthid, country, month, asin, fulfillment_center, fnsku
FBA

```

- asin: ASIN
- fnsku: FNSKU
- fulfillment_center: 0000
- country: 00
- month: 00
- average_quantity_on_hand: 0000
- monthly_storage_fee: 00000
- currency: 00

t_fba_longterm_storage_fee_report - ????????

sql

```

000snapshot_date, sku, surcharge_age_tier, country, amazonauthid
000000000000
000000
- snapshot_date: 0000
- sku: SKU
- condition: 0000
- qty_charged_12month: 00120000000
- qty_charged_6month: 00600000000
- amount_charged: 0000
- currency: 00

```

9. ??????

t_erp_shipcycle - ????????

sql

```

000id
000SKU00000000
000000
- sku: SKU
- marketplaceid: 00ID
- groupid: 00ID
- transtype: 0000
- stockingCycle: 000000
- min_cycle: 000000
- first_leg_charges: 000000

```

t_erp_estimated_sales - ??????

sql

```

000id
000000000000
000000
- sku: SKU
- marketplaceid: 00ID
- groupid: 00ID
- presales: 00000000

```

- startTime: 000000
- endTime: 000000
- isInvalid: 0000

t_erp_market_priority - ??????

sql

```
000marketplaceid, groupid
00000000000000000000
000000
- marketplaceid: 00ID
- groupid: 00ID
- priority: 0000000000000000
```

t_exchangerate - ???

sql

```
000id
00000000
000000
- name: 0000
- price: 00
- symbol: 00
- utctime: 0000
```

t_exchangerate_customer - ????????

sql

```
000id
000000000000
000000
- shopid: 00ID
- name: 00
- price: 000000
```

t_holiday - ?????


sql

```
000id
0000000000
000000
- shopid: 00ID
- day: 00
- name: 0000
- type: 000000000000 100 200 3000
- week: 000
```

????????


1. ????????

text




2. ????????

text



3. ????????

text



????????

1. ????????

□□□□□ □

- t_product_info: (marketplaceid, amazonAuthId, isparent, invalid, disable) - □□□□□□
- t_product_info: (asin) - ASIN□□□□
- t_product_info: (parentAsin, marketplaceid, amazonAuthId) - □□□□□□

□□□□□ □

- t_amz_order_main: (amazonAuthId, purchase_date, hasItem) - □□□□□□□
- t_amz_order_item: (amazonAuthId, marketplaceId, purchase_date) - □□□□□□□
- t_orders_report: (amazonAuthId, purchase_date) - □□□□□□

□□□□□ □

- t_inventory_report: (marketplaceid, amazonAuthId, sku) - □□ SKU□□
- t_inventory_report_his: (amazonAuthId, marketplaceid, sku, byday) - □□□□□□

□□□□□ □

- t_amz_settlement_report: (amazonAuthId, posted_date) - □□□□□□□
- t_amz_settlement_summary_sku: (amazonAuthId, posted_date) - SKU□□□□□□

2. ??????????

1. □□□□ □□□□□□□□□□
2. □□□□□ □□□□□□□□ ID□□□□□
3. □□□□ □□□□□□□□□□□□
4. □□□□ □□□□□□□□□□□□

??????????

1. ????????

- □□□□□□□□ 30□
- □□□□□□□□ 30□
- □□□□□□□□ 365□
- □□□□□□□□ 3□

2. ????????

- □□□□□□□□□□□□

3: 000
4: 000
7: 000
11: 000
12: 000

????????

1. ?????

- 0000 t_amazon_auth.MWSAuthToken
- 0000 t_amazon_auth.refresh_token
- API000 t_amazon_auth.access_key_id, t_amazon_auth.secret_key

2. ?????

- 0 shopid 00000
- 0 amazonAuthId 00000
- 0000000000

3. ?????

- 00000
- 0000000
- 000000

????????

1. ????????

1. 00 t_amz_product_refresh 0000
2. 00 t_report_requestrecord 0000
3. 0000 autoRefreshInsert 0000

2. ?????

1. 0000000000
2. 0000000000
3. 0000000000

