





- status
- 1
- 4
- 5
- base
- opttime

### 3.3 t\_purchase\_order\_entry??????????

- materialid  ID
- itemprice
- orderprice
- sku  SKU
- name
- warehousename
- suppliername
- length/width/height/weight

## 4. ???????

### 4.1 t\_shipment???????

- status
- - destination
  - area
  - isfar
  - buyername/company/othername
  - groupname
  - warehousename
  - country
  - weight/volume  /
  - num
  - remark

### 4.2 t\_shipment\_item??????????????

- (shipmentid, id)
- (shipmentid, sku) SKU
- name ename

## 4.3 t\_shipment\_box

Table structure

- boxid ID UUID
- shipmentid ID
- length/width/height
- unit
- weight
- wunit
- operator ID

## 4.4 t\_shipment\_destination\_address

Table structure

- code 13
- destinationType
- 
- countryCode stateOrProvinceCode

## 4.5 t\_shipment\_summary

Table structure

- (orderid, destinationType, code)
- calweight
- shipnum
- shipmentList JSON

## 5.

### 5.1 t\_shipment\_transchannel

Table structure

- buyerid ID

- name [16]
- disable [5]

## 5.2 t\_shipment\_supplier\_transchannel ???????????

[ ] [16]

- supplierid [4] ID
- buyerid [4] ID
- channelid [4] ID
- name [16]
- disable [5]

## 6. ????????

### 6.1 t\_supplier\_quotation\_price???????????

[ ] [16]

- [4] [ ] (orderid, supplierid, shipmentid, destination) [16]
- [4] [ ]
  - base [4]
  - unitprice [4]
  - tax [4]
  - otherfee [4]
  - shipfee [4]
  - totalfee [4]
- [4] [ ]
  - confirm [4]
  - disabled [4]
- pricetime [4]
- remark [4]

### 6.2 t\_order\_shipment???????????????

[ ] [16]

- [4] (orderid, shipmentid)







