

??-1688??

1688??????????

1. ???????

1688????????????


Vue 3 Composition API????????

Spring Boot API????????

OAuth2 1688

????????

1.1 ??????



1.2 ?????

- `wimoor-ui/src/views/erp/purchase/open1688/bind/index.vue` - 1688
- **API** `wimoor-ui/src/api/erp/purchase/open1688/purchasealibabaApi.js` - API
- `AlibabaController.java` - 1688 HTTP
- `PurchaseAlibabaAuthServiceImpl.java` - 1688
- `PurchaseAlibabaAuth.java` - 1688

2. ??????????

2.1 ??????

`index.vue` ?????

- `index.vue`
 - `index.vue` 1688

- []
- []
- [] []
 - []
 - []
 - []
 - []
 - getauthList() []
 - showDialog() [] / []
 - bindAuth() []
 - goUrl() [] 1688 []
 - removeBind() []
 - GetRequest() [] 1688 []

2.2 API????

`purchasealibabaApi.js` [] API []

- getAuthData() []
- get1688Url() [] 1688 []
- logicDelete() []
- refreshAuthData() []
- bindAuthData() []
- submitname() []
- updateName() []

3. ??????????

3.1 ?????

`AlibabaController.java` [] API []

- POST /submitname [] 1688 []
- GET /bindAuthData [] 1688 []
- GET /refreshAuthData [] 1688 []
- GET /getAuthData [] 1688 []
- GET /delete [] 1688 []
- GET /get1688Url [] 1688 []
- GET /message [] 1688 []

3.2 ?????

`PurchaseAlibabaAuthServiceImpl.java` []

- saveAction() 1688
- bindAuth() 1688
- refreshAuthToken() refresh_token
- refreshAuthRefreshToken() refresh_token
- getAuthData()
- updateAlibaba()
- callApi() 1688 API
- checkAuthorityToken()

3.3 ?????

PurchaseAlibabaAuth

- id ID
- shopid ID
- name
- appkey 1688
- appsecret 1688
- accessToken
- refreshToken
- accessTokenTimeout
- refreshTokenTimeout
- aliId 1688 ID
- resourceOwner 1688
- memberId 1688 ID
- isDelete

4. ????????

4.1 ????????

1.
 - " " "
 -
 - " " bindAuth()
 - bindAuth() getcode() ID
 - getcode() /submitname
 - goUrl() 1688
2. 1688
 - 1688
 - 1688
 - 1688

- `getRequest()` URL
 - `/bindAuthData`
 - `bindAuth()`
 -

- -

4.2 ???????

- `bindAuth()` 1688 `/system.oauth2/getToken`
 - `access_token` `refresh_token` `expires_in`
 -

- `refreshAuthToken()` `refresh_token` 1688 `/system.oauth2/getToken`
 - `access_token`
 -

- `checkAuthorityToken()`
 - `refreshAuthToken()`

4.3 ???????

- `getauthList()`
 - `getAuthData()`
 -

- -
 - `" " /submitname`

- `" "`
 - `removeBind()`
 - `updateAlibaba()`

- `" "`
 - `goUrl()`
 -

5. API????

5.1 ?????????

```
sequenceDiagram
    participant A
    participant B
    participant C as 1688

    A->>B: GET /get1688Url?redirectUrl=xxx&id=xxx
    A->>B: [][]URL
    A-->>B: [][]URL
    A->>C: [][]
    C->>B: [][]code
    A->>B: GET /bindAuthData?code=xxx&state=xxx
    A->>C: []getToken[]
    C-->>B: []
    A->>B: []
    A-->>B: []
```

5.2 ???????

```
sequenceDiagram
    participant A
    participant B
    participant C as 1688

    A->>B: GET /refreshAuthData?id=xxx
    A->>B: []refresh_token[]
    A->>C: []getToken[]refresh_token
    C-->>B: []access_token
    A->>B: []
    A-->>B: []
```

5.3 API????

```
sequenceDiagram
    participant A
    participant B
    participant C
    participant D as 1688

    A->>B: API
    A->>C: 
    A->>D: API
    C->>D: 1688 API
    D-->>C: API
    C-->>A: 
    D-->>A: 
```

6. ????????

6.1 OAuth2????

- OAuth2
- 1688 OAuth2.0
-

6.2 ????????

- API
- -
 -
 -
- API

6.3 ????????

- 1688
- HTTP API
- API

6.4 ??????

- 1688 API
- API
- API

7. ??????

7.1 ??????

1. API
 - API
 - API
2. Pina Vuex
 - Pina Vuex
3. composable
 - composable
 - composable

7.2 ??????

1. AppKey AppSecret
- 2.
- 3.
4. 1688 API

7.3 ?????

1. 1688
2. API

